

**Product Name:** Isopropyl Alcohol 70%  
**Date:** 7/20/2015

SECTION 1 **IDENTIFICATION**

**Supplier:** Divina Professional Products  
55 Container Drive  
Terryville, Ct 06786  
(860) 589-7502

**Distributor:**

**U.S. PERS Emergency Telephone:** 1-800-633-8253  
**Product Name:** **Isopropyl Alcohol 70%**  
**Synonyms:** Isopropanol; Isopropyl Alcohol; 2-Propanol; sec-propyl alcohol; dimethylcarbinol; sec-propanol; Rubbing alcohol; 1-Methylethanol  
**Chemical Name:** Isopropyl Alcohol  
**Chemical Formula:** C<sub>3</sub>H<sub>8</sub>O  
**CAS Number:** 67-63-0  
**Product Use:** Cleans nail surface after UV cured nail coating application.

SECTION 2 **HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**Warning**



**OSHA Hazards:** Flammable liquid, Target Organ Effect, Irritant  
**Target Organs:** Cardiovascular system, Gastrointestinal tract, Kidney, Liver, Nerves

**Hazard Statement(s)**

H225: Highly flammable liquid and vapor.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.

**Precautionary Statement(s)**

P261: Avoid breathing dust/fumes/gas/mist/vapors.  
P312: Call a POISON CENTER or doctor/ physician if you feel unwell.  
P501: Dispose of contents and container to an approved waste disposal plant.  
P240: Ground/bond container and receiving equipment.  
P321: Specific treatment (see First Aid Measures on this label).  
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
P210: Keep away from heat, sparks, open flames, and hot surfaces. No smoking.  
P233: Keep container tightly closed.  
P102: Keep out of reach of children.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P235: Keep cool.  
P405: Store locked up.  
P243: Take precautionary measures against static discharge.  
P241: Use explosion-proof electrical, ventilating, and lighting equipment.  
P242: Use only non-sparking tools.  
P271: Use only outdoors or in a well-ventilated area.

P264: Wash hands thoroughly after handling.  
P280: Wear protective gloves and eye and face protection

SECTION 2 **HAZARDS IDENTIFICATION - Continued**

HMIS (U.S.A.)	
Health Hazard	2
Fire Hazard	3
Reactivity	0
Personal Protection	H

National Fire Protection Association (U.S.A.)	
Health	1
Flammability	3
Reactivity	0
Specific Hazard	

**GHS Classification(s)**

Eye irritation (Category 2)  
Flammable Liquids (Category 2)  
Specific target organ toxicity - single exposure (Category 3)

**Potential Health Effects**

**Eyes:** Causes eye irritation.  
**Ingestion:** May be harmful if swallowed.  
**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation. Vapors may cause drowsiness and dizziness.  
**Skin:** May be harmful if absorbed through skin. Causes skin irritation.

SECTION 3 **COMPOSITION, INFORMATION ON INGREDIENTS**

<b>Component</b>	<b>CAS Number</b>	<b>Percent</b>
Isopropyl Alcohol	67-63-0	70%

SECTION 4 **FIRST-AID MEASURES**

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops. Cold water may be used.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms appear.

**Serious Inhalation:** Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

SECTION 5 **FIRE FIGHTING MEASURES**

**Flammability of the Product:** Flammable.

**Auto-Ignition Temperature:** 399°C (750.2°F)

**Flash Points:** CLOSED CUP: 11.667°C (53°F) - 12.778 deg. C (55 deg. F) (TAG)

**Flammable Limits:** LOWER: 2% UPPER: 12.7%

**Products of Combustion:** These products are carbon oxides (CO, CO<sub>2</sub>).

**Fire Hazards in Presence of Various Substances:** Highly flammable in presence of open flames and sparks, of heat. Flammable in presence of oxidizing materials. Nonflammable in presence of shocks.

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Explosive in presence of open flames and sparks, of heat.

**Fire Fighting Media and Instructions:** Flammable liquid, soluble or dispersed in water. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use alcohol foam, water spray or fog.

**Special Protective Equipment and Precautions for Firefighters:** Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Keep unopened containers cool by spraying with water.

**Special Remarks on Fire Hazards:** Vapor may travel considerable distance to source of ignition and flash back. CAUTION: MAY BURN WITH NEAR INVISIBLE FLAME. Hydrogen peroxide sharply reduces the autoignition temperature of Isopropyl alcohol. After a delay, Isopropyl alcohol ignites on contact with dioxigenyl tetrafluorborate, chromium trioxide, and potassium tert-butoxide. When heated to decomposition it emits acrid smoke and fumes.

**Special Remarks on Explosion Hazards:** Secondary alcohols are readily autooxidized in contact with oxygen or air, forming ketones and hydrogen peroxide. It can become potentially explosive. It reacts with oxygen to form dangerously unstable peroxides, which can concentrate and explode during distillation or evaporation. The presence of 2-butanone increases the reaction rate for peroxide formation. Explosive in the form of vapor when exposed to heat or flame. May form explosive mixtures with air. Isopropyl alcohol + phosgene forms isopropyl chloroformate and hydrogen chloride. In the presence of iron salts, thermal decomposition can occur, which in some cases can become explosive. A homogeneous mixture of concentrated peroxides + isopropyl alcohol are capable of detonation by shock or heat. Barium perchlorate + isopropyl alcohol gives the highly explosive alkyl perchlorates. It forms explosive mixtures with trinitormethane and hydrogen peroxide. It produces a violent explosive reaction when heated with aluminum isopropoxide + crotonaldehyde. Mixtures of isopropyl alcohol + nitroform are explosive.

SECTION 6 **ACCIDENTAL RELEASE MEASURES**

**Small Spill:** Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

**Large Spill:** Flammable liquid. Keep away from heat. Keep away from sources of ignition. Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not touch spilled material.

SAFETY DATA SHEET  
Isopropyl Alcohol 70% - 1970

Prevent entry into sewers, basements or confined areas; dike if needed. Be careful that the product is not present at a concentration level above TLV. Check TLV on the SDS and with local authorities.

SECTION 7 **HANDLING AND STORAGE**

**Precautions:** Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

**Storage:** Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).

SECTION 8 **EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.

**Personal Protection:** Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** TWA: 983 STEL: 1230 (mg/m<sup>3</sup>) [Australia] TWA: 200 STEL: 400 (ppm) from ACGIH (TLV) [United States] [1999] TWA: 980 STEL: 1225 (mg/m<sup>3</sup>) from NIOSH TWA: 400 STEL: 500 (ppm) from NIOSH TWA: 400 STEL: 500 (ppm) [United Kingdom (UK)] TWA: 999 STEL: 1259 (mg/m<sup>3</sup>) [United Kingdom (UK)] TWA: 400 STEL: 500 (ppm) from OSHA (PEL) [United States] TWA: 980 STEL: 1225 (mg/m<sup>3</sup>) from OSHA (PEL) [United States] Consult local authorities for acceptable exposure limits.

SECTION 9 **PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Clear Colorless Liquid  
**Odor:** Odor resembling that of a mixture of ethanol and acetone.  
**pH (1% soln/water):** Not available  
**Boiling Point:** 82.5°C (180.5°F)  
**Melting Point:** -88.5°C (-127.3°F)  
**Critical Temperature:** 235°C (455°F)  
**Specific Gravity:** 0.78505 (Water = 1)  
**Vapor Pressure:** 4.4 kPa (@ 20°C)  
**Vapor Density:** 2.07 (Air = 1)  
**Volatility:** Not available.  
**Odor Threshold:** 22 ppm (Sittig, 1991) 700 ppm for unadapted panelists (Verschuren, 1983).  
**Water/Oil Dist. Coeff.:** The product is equally soluble in oil and water; log(oil/water) = 0.1

**Ionicity (in Water):** Not available.  
**Dispersion Properties:** See solubility in water, methanol, diethyl ether, n-octanol, acetone.  
**Solubility:** Easily soluble in cold water, hot water, methanol, diethyl ether, n-octanol, acetone. Insoluble in salt solution. Soluble in benzene. Miscible with most organic solvents including alcohol, ethyl alcohol, chloroform.  
**Molecular Weight:** 60.1 g/mole

SECTION 10 **STABILITY AND REACTIVITY**

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Heat, ignition sources (flames, sparks, static), incompatible materials

**Incompatibility with various substances:** Slightly reactive to reactive with oxidizing agents, acids, alkalis.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Remarks on Reactivity:** Reacts violently with hydrogen + palladium combination, nitroform, oleum, COCl<sub>2</sub>, aluminum triisopropoxide, oxidants Incompatible with acetaldehyde, chlorine, ethylene oxide, isocyanates, acids, alkaline earth, alkali metals, caustics, amines, crotonaldehyde, phosgene, ammonia. Isopropyl alcohol reacts with metallic aluminum at high temperatures. Isopropyl alcohol attacks some plastics, rubber, and coatings. Vigorous reaction with sodium dichromate + sulfuric acid. (Isopropyl alcohol)

**Special Remarks on Corrosivity:** May attack some forms of plastic, rubber and coating.

**Polymerization:** Will not occur.

SECTION 11 **TOXICOLOGICAL INFORMATION**

**Routes of Entry:** Absorbed through skin. Dermal contact. Eye contact. Inhalation.

**Toxicity to Animals:** WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 3600 mg/kg [Mouse]. Acute dermal toxicity (LD50): 12800 mg/kg [Rabbit]. Acute toxicity of the vapor (LC50): 16000 8 hours [Rat].

**Chronic Effects on Humans:** CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. DEVELOPMENTAL TOXICITY: Classified Reproductive system/toxin/female, Development toxin [POSSIBLE]. May cause damage to the following organs: kidneys, liver, skin, central nervous system (CNS).

**Other Toxic Effects on Humans:** Hazardous in case of ingestion, of inhalation. Slightly hazardous in case of skin contact (irritant, sensitizer, permeator).

**Special Remarks on Toxicity to Animals:** Not available.

**Special Remarks on Chronic Effects on Humans:** May cause adverse reproductive/teratogenic effects (fertility, fetotoxicity, developmental abnormalities (developmental toxin)) based on animal studies. Detected in maternal milk in human. (Isopropyl alcohol)

**Special Remarks on other Toxic Effects on Humans:**

**Acute Potential Health Effects:**

**Skin:** May cause mild skin irritation, and sensitization.

**Eyes:** Can cause eye irritation.

**Inhalation:** Breathing in small amounts of this material during normal handling is not likely

SAFETY DATA SHEET  
Isopropyl Alcohol 70% - 1970

to cause harmful effects. However, breathing large amounts may be harmful and may affect the respiratory system and mucous membranes (irritation), behavior and brain (Central nervous system depression - headache, dizziness, drowsiness, stupor, unconsciousness, coma and possible death), peripheral nerve and sensation, blood, urinary system, and liver.

**Ingestion:** Swallowing small amounts during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. Swallowing large amounts may cause gastrointestinal tract irritation with nausea, vomiting and diarrhea, abdominal pain.

SECTION 12 **ECOLOGICAL INFORMATION**

**Ecotoxicity:** Ecotoxicity in water (LC50): 100000 mg/l 96 hours [Fathead Minnow]. 64000 mg/l 96 hours [Fathead Minnow].

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short-term degradation products are not likely. However, long-term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Remarks on the Products of Biodegradation:** Not available.

SECTION 13 **DISPOSAL CONSIDERATIONS**

**Waste Disposal:** Waste must be disposed of in accordance with federal, state and local environmental control regulations.

SECTION 14 **TRANSPORTATION DATA**



**DOT:** **UN Number:** 1219  
**UN Proper Shipping Name:** Isopropyl Alcohol  
**Transport Hazard Class:** 3  
**Packing Group:** II

**IMDG:** **UN Number:** 1219  
**UN Proper Shipping Name:** Isopropyl Alcohol  
**Transport Hazard Class:** 3  
**Packing Group:** II  
**EMS-No.:** F-E, S-D  
**Marine Pollutant:** No

**IATA:** **UN Number:** 1219  
**UN Proper Shipping Name:** Isopropyl Alcohol  
**Transport Hazard Class:** 3  
**Packing Group:** II

SECTION 15 **REGULATORY INFORMATION**

**Federal and State Regulations:** Connecticut hazardous material survey.: Isopropyl alcohol Illinois toxic substances disclosure to employee act: Isopropyl alcohol Rhode Island RTK hazardous substances: Isopropyl alcohol Pennsylvania RTK: Isopropyl alcohol Florida: Isopropyl alcohol Minnesota: Isopropyl alcohol Massachusetts RTK: Isopropyl alcohol New Jersey: Isopropyl alcohol New Jersey spill list: Isopropyl alcohol TSCA 8(b) inventory: Water; Isopropyl alcohol TSCA 4(a) final testing order: Isopropyl alcohol TSCA 8(a) IUR: Isopropyl alcohol TSCA 8(d) H and S data reporting: Isopropyl alcohol: Effective date: 12/15/86 Sunset Date: 12/15/96 TSCA 12(b) one time export: Isopropyl alcohol Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

SECTION 15 **REGULATORY INFORMATION - Continued**

**Other Classifications:**

**WHMIS (Canada):** CLASS B-2: Flammable liquid with a flash point lower than 37.8°C (100°F).

**DSCL (EEC):** R10- Flammable. S25- Avoid contact with eyes. S36/37- Wear suitable protective clothing and gloves. S38- In case of insufficient ventilation, wear suitable respiratory equipment.

**Protective Equipment:** Gloves. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate. Splash goggles.

SECTION 16 **ADDITIONAL INFORMATION**

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers.

Date: 7/20/2015  
Phoenix Products Company