# MATERIAL SAFETY DATA SHEET

#### 1. **PRODUCT AND COMPANY IDENTICATION**

PRODUCT NAME	Marvel Air Tool Oil
PRODUCT CODE	MM080, MM085, MM85R, MM086, MM088R, MM089 MM, MM85R1
CHEMICAL FAMILY	Petroleum Distillates
CHEMICAL NAME	Complex Mixture of Hydrocarbons
FORMULA	Mixture
FORMULA	Mixture
MANUFACTURER	MIXTURE EMERGENCY TELEPHONE NUMBERS

#### 2. <u>POSITION/INFORMATION ON INGREDIENTS</u>

Fax: 630-455-3868

COMPONENT	CAS NUMBER	CONCENTRATION (wt %)
Naphthenic Hydrocarbons	64742-52-5	70 - 80
Mineral Spirits	08052-41-3	20 - 30
Chlorinated Hydrocarbons	00095-50-1	0 – 1

#### EXPOSURE LIMITS 8 hrs. TWA(ppm)

	OSHA PEL	ACGIH TLV
Naphthenic Hydrocarbons	5 as oil mist	5 as oil mist
Mineral Spirits	100	100
Chlorinated Hydrocarbons	25	25

# 3. <u>HAZARDS IDENTIFICATION</u>

#### POTENTIAL HEALTH EFFECTS

**INHALATION:** Can cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and even asphyxiation.

**INGESTION:** Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration into lungs can cause pneumonitis which can be fatal.

SKIN CONTACT: Prolonged or repeated contact can cause moderated irritation, defatting or dermatitis.

EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

# 4. <u>FIRST AID MEASURES</u>

**EYE:** Flush with large amounts of water, lifting upper and lower eyelids occasionally. Get medical attention.

**SKIN:** Thoroughly was exposed area with soap and water. Remove contaminated clothing. Launder before re-use.

**INHALATION:** Remove person to fresh air. If breathing difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm and quiet. Call a physician.

**INGESTION:** Do not induce vomiting. Keep person quiet and warm. Get medical attention. Aspiration of material into lungs can cause chemical pneumonitis which can be fatal.

#### 5. <u>FIRE FIGHTING MEASURES</u>

**FLASH POINT:** 128 ° F (53 ° C) TCC

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical, foam.

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus with full facepiece operated with positive pressure-demand when fighting large fires.

#### 6. <u>ACCIDENTIAL RELEASE MEASURES</u>

**SPILL OR LEAK PROCEDURES:** Ventilate area. Remove sources of ignition. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Absorb small amounts on inert material for disposal.

#### 7. <u>HANDLING AND STORAGE</u>

**STORAGE TEMPERATURE (MIN./MAX.):** -40 ° F (-40 ° C)/ 120 ° F (49 C)

**SHELF LIFE:** 7 - 10 years minimum when the original container is kept tightly closed and properly stored.

SPECIAL SENSITIVITY: None.

**HANDLING AND STORAGE PRECAUTIONS:** Empty containers may be dangerous since fumes may still exist. Observe precautions given for this product as stated in this document.

#### 8. <u>EXPOSURE CONTROLS/PERSONAL PROTECTION</u>

**EYE PROTECTION REQUIREMENTS:** Splash goggles.

SKIN PROTECTION REQUIREMENTS: Wear chemically resistant gloves.

**RESPIRATOR/VENTILATION REQUIREMENTS:** Provide sufficient ventilation to avoid exposure levels above the established TLV's.

Thin liquid

**EXPOSURE LIMITS:** Not established for product as whole.

Mineral Spirits	NIOSH	100 ppm TWA
Oil Mist	OSHA	5 mg/m3

#### 9. <u>PHYSICAL AND CHEMICAL PROPERTIES</u>

PHYSICAL FORM:

PDF created with pdfFactory trial version www.pdffactory.com

COLOR:	Red
ODOR:	Petroleum
BOILING POINT:	Not determined
MELT / FREEZE POINT	- 60 ° F ( - 51 ° C)
PH:	Not applicable
SOLUBILITY IN WATER:	Insoluble
SPECIFIC GRAVITY:	0.876 @ 60 ° F (15.6 ° C)
% VOLATILE BY WEIGHT:	25 %
VAPOR PRESSURE:	Not determined
VAPOR DENSITY:	Not determined

# 10. <u>REACTIVITY</u>

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

**INCOMPATIBILITIES:** Strong oxidizing agents.

DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide and hydrocarbons.

# 11. TOXICOLOGICAL INFORMATION

ACUTE INHALATION: Aspiration into lungs can cause pneumonitis which can be fatal.

CHRONIC INHALATION: Not determined.

**ACUTE SKIN CONTACT:** Prolonged or repeated contact can cause moderate irritation, defatting or dermatitis.

CHRONIC SKIN CONTACT: Not determined.

ACUTE EYE CONTACT: Can cause severe irritation, redness, tearing or blurred vision.

#### 12. ECOLOGICAL INFORMATION

No data available.

# 13. <u>DISPOSAL CONSIDERATIONS</u>

Ignitable hazardous waste, EPA Hazardous Waste Number D001

**WASTE DISPOSAL METHOD:** Dispose of product in accordance with all local, state and federal laws and regulations.

#### 14. TRANSPORT INFORMATION

**DOT INFORMATION:** 

15.

	Non Bulk Bulk	Not regulated Petroleum distil	lates, n.o.s.
TECHNICAL SHIPPING NAME:		Fuel and oil add	litive
	Non Bulk Bulk	ORM-D Class 3	
UN NUMBER:		UN 1268	
PRODUCT RQ (lbs):		None	
	Non Bulk Bulk	ORM-D Flammable Liqu	ıid
	Non Bulk Bulk	None Flammable Liqu	iid
FREIGHT CLASS BULK:		PG III	
FREIGHT CLASS PACKAGE:		None	
PRODUCT LABEL		None	
<b>REGULATORY INFORMATION</b>			
TSCA STATUS:		All ingredients	listed.
CERCLA REPORTABLE QUANTITY:		None	
SARA TITLE III:			
SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES		None	
SECTION 311/312 HAZARD CATEGORIES			
Acute Health		Yes	
Chronic Health		Yes	
Fire		Yes	
Reactive		No	
Sudden Release of Pressur	e	No	
SECTION 313 CHEMICAL NAME Ortho-dichlorobenzene	<u>CAS N</u> 00095-:	<b>UMBER</b> 50-1	<u>CONCENTRATION</u> 0-0.25 %

**RCRA STATUS:** If discarded in its purchased form, this product would be an ignitable waste with an EPA Hazardous Waste Number of D001. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product should be classified as a hazardous waste. (40CFR261.20-24)

**CANADIAN STATUS:** All materials contained in this product are listed on the Canadian Domestic Substances List.

**EUROPEAN UNION:** All materials contained in this product are listed on EINECS.

# STATE REGULATORY INFORMATION

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the MSDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

COMPONENT/ CAS NUMBER	CONCENTRATION	STATE CODE
p-dichlorobenzene	less than 150 ppm	CA

00106-46-7

CA = Material known to the state of California to cause cancer and/or birth defects. (California Proposition 65).

# 16. OTHER INFORMATION

HMIS CLASSIFICATION	Health	2
	Flammability	2
	Reactivity	0
	PPI	В
NFPA RATING	Health	2
	Fire	2
	Reactivity	0
	Special	None
REASON FOR ISSUE	Shelf Life Up-date	
PREPARED BY	James P. Heidel	
TITLE	Technical Director, R&D	
APPROVAL DATE	November 15, 2010	
SUPERCEDES DATE	March 1, 2010	
<b>REVISION NUMBER</b>	#09	

This information is to the best of Marvel Oil Company's knowledge and belief, accurate and reliable. However, no representation, warranty, or guarantee is made to its accuracy, reliability or completeness. It is the users responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

Msdsmm080-4.doc