SECTION 1: CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Information: 800-TECH-401

Company Address: 8125 Cobb Center Drive

Kennesaw, GA 30152

Emergency:

(Chemtrec) 800-424-9300 Revision Date: February 17, 2010

Customer Service: 800-645-5244

Product Identification

	KONTACT RESTORER® (Formerly Kontact Restorer 2000)		
Product Code: ES1628, ES1628C, NSN 65200	02413559, NSN 6850000035295 (C165295)		
SECTION 2: COMPOSITION/INFORMATIC	ON ON INGREDIENTS		
Chemical Name	CAS#	Wt. % Range	
Dichlorofluoroethane	1717-00-6	92.0-97.0	
Mineral Oil	8042-47-5	1.0-2.0	
Carbon Dioxide	124-38-9	1.0-5.0	

SECTION 3: HAZARD IDENTIFICATION

Emergency Overview: Clear, colorless liquid with strong ethereal odor. This product is nonflammable. Liquid will irritate eyes and skin under repeated or prolonged exposure. Breathing high concentrations of product vapors may produce drowsiness and a headache.

Potential Health Effects:

Liquid, aerosols and vapors of this product are irritating and can cause pain, tearing, reddening and swelling accompanied by a stinging sensation. Eyes: Contact causes skin irritation. Skin:

Ingestion: Harmful if swallowed. Irritating to mouth, throat and stomach. May cause vomiting.

Inhalation: Harmful if inhaled. High concentrations of vapors in immediate area can displace oxygen and can cause dizziness, unconsciousness, and even death with longer exposure. Keep people away from such vapors without self-contained breathing apparatus.

Pre-Existing Medical Conditions Aggravated by Exposure: Heart, lung, skin, eye.

SECTION 4: FIRST AID MEASURES

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined Eyes: and tested by medical personnel if irritation develops or persists.

Skin: Wash skin with soap and water. Remove contaminated clothing. Get medical attention if irritation develops or persist. Wash clothing separately before reuse. Ingestion: If swallowed, induce vomiting immediately as directed by medical personnel. Keep head below knees to minimize chance of aspirating material into the lungs. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

SECTION 5: FIRE FIGHTING MEASURES Flash Point: None to boiling (TCC)

LEL/UEL: 7.4/15.5 (Dichlorofluoroethane % by volume in air)

Extinguishing media: Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear. SECTION 6: ACCIDENTAL RELEASE MEASURES

Large Spills: Shut off leak if possible and safe to do so. Wear a self-contained breathing apparatus and appropriate personal protective equipment. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container for proper disposal. Do not flush to sewer. Avoid runoff into storm sewers and ditches which lead to waterways.

Small Spills: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container for proper disposal.

SECTION 7: HANDLING AND STORAGE

Avoid prolonged or repeated contact with eyes, skin, and clothing. Wash hands before eating. Use with adequate ventilation. Avoid breathing product vapor or mist. Do not reuse this container. Store in a cool dry place away from heat, sparks or flames. Keep container closed when not in use. Do not store in direct sunlight. KEEP OUT OF REACH OF CHILDREN.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Exposure Guidelines: CHEMICAL NAME ACGIH TLV OSHA PEL OTHER 500 ppm (Atofina) Dichlorofluoroethane NA NA Mineral oil NA NA Work/Hygienic Practices: Good general ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product. If vapor concentration exceeds TLV, use NIOSH approved organic vapor cartridge respirator. Wear safety glasses with side shields (or goggles) and rubber or other chemically resistant gloves when handling this material. NFPA and HMIS Codes: HMIS NFPA Health 1 1 Flammability 1 1 Reactivity 0 0 Personal Protection в

ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES sysical State: Clear colorless liquid dor: Ethereal 4: NA Evaporation Rate: >1 apor Pressure: 517 mmHg @ 70F apor Density: >1 Viscosity: hir = 1 Viscosity: poiling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burned drocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
dor: Ethereal Specific Gravity: (Water =1) 1.23 <u>H</u> : NA Evaporation Rate: >1 apor Pressure: 517 mmHg @ 70F (Butyl acetate=1): apor Density: >1 Viscosity: 1 (Approx.) tir = 1) (Water = 1) poiling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burned drocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
H: NA Evaporation Rate: >1 apor Pressure: 517 mmHg @ 70F (Butyl acetate=1): apor Density: >1 Viscosity: 1 (Approx.) tir = 1) (Water = 1) poiling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burned drocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION: ECTION 11: TOXICOLOGICAL INFORMATION:
apor Pressure: 517 mmHg @ 70F (Butyl acetate=1): apor Density: >1 Viscosity: 1 (Approx.) air = 1) (Water = 1) biling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner drocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
apor Density: >1 Viscosity: 1 (Approx.) sir = 1) (Water = 1) biling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burned vidrocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
wir = 1) (Water = 1) biling Point: 90F (32C) (Dichlorofluoroethane) Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION: ECTION 11: TOXICOLOGICAL INFORMATION:
Description Percent Volatile: >95% ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner agradous Polymerization: will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
ECTION 10: STABILITY AND REACTIVITY ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION:
ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. Conditions to Avoid: azardous Polymerization: Will not occur Conditions to Avoid: CTION 11: TOXICOLOGICAL INFORMATION:
ability: - This product is stable. Conditions to Avoid: Do not spray near open flames, red hot surfaces or other sources of ignition. compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. Conditions to Avoid: azardous Polymerization: Will not occur Conditions to Avoid: CTION 11: TOXICOLOGICAL INFORMATION:
compatibility: Do not mix with powdered alkali and alkaline earth metals or strong oxidizing agents. oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burner vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. Conditions to Avoid: azardous Polymerization: Will not occur Conditions to Avoid: NA
oducts of Decomposition: Thermal decomposition may release carbon monoxide, carbon dioxide, hydrogen chloride, hydrogen fluoride and incompletely burned variables as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA
vdrocarbons as well as hydrochloric and hydrofluoric acid vapor. azardous Polymerization: Will not occur Conditions to Avoid: NA
azardous Polymerization: Will not occur Conditions to Avoid: NA ECTION 11: TOXICOLOGICAL INFORMATION: Image: Condition of Conditions to Avoid: NA
ECTION 11: TOXICOLOGICAL INFORMATION:
halation: Ingestion:
ichlorofluoroethane* LC50 rats 61,647 ppm/4hrs Dichlorofluoroethane* LD50 rats >5,000 mg/k
temotoruoroeutane. EC50 tats 01,047 ppin/4ins Diemotoruoroeutane. ED50 tats >3,000 mg/
Shin
Skin Dichlandhanster V D50 mts
Dichlorofluoroethane* LD50 rats >2,000 mg/k
nformation from manufacturer.
ancer Information: No ingredients listed as human carcinogens by NTP or IARC
eproductive effects: none Teratogenic effects: none Mutagenic effects: none
aterways. Water runoff can cause environmental damage.
EPORTING S regulations require reporting spills of this material that ould reach any surface waters. The toll free number for e US Coast Guard National Response Center is:
S regulations require reporting spills of this material that ould reach any surface waters. The toll free number for
S regulations require reporting spills of this material that ould reach any surface waters. The toll free number for e US Coast Guard National Response Center is:
S regulations require reporting spills of this material that ould reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage.
S regulations require reporting spills of this material that uld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max.
S regulations require reporting spills of this material that uld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity in: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth.
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth.
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D ECTION 15: REGULATORY INFORMATION
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATION September 2010 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth.
S regulations require reporting spills of this material that buld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ECTION 13: DISPOSAL CONSIDERATIONS ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECTION 15: REGULATORY INFORMATION ECTION 15: REGULATORY INFORMATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372).
S regulations require reporting spills of this material that Juld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ESTION 13: DISPOSAL CONSIDERATIONS ESTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECTION 15: REGULATORY INFORMATION ECTION 313 SUPPLIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kne tof 1986 (40 CFR 372). hemical Name CAS# VK % Range
S regulations require reporting spills of this material that uild reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS Ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D V NA ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECTION 313 SUPPLIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn et of 1986 (40 CFR 372). hemical Name CAS# VI. % Range ichlorofluoroethane 1717-00-6
S regulations require reporting spills of this material that uid reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS Ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECTION 15: REGULATORY INFORMATION Stip ProJEIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372). hemical Name CAS# Vt. % Range infolmotion should be included on all MSDSs copied and distributed for this material.
S regulations require reporting spills of this material that Juld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D Auth. ECTION 15: REGULATORY INFORMATION ECTION 15: REGULATORY INFORMATION CCTION 313 SUPPLIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372). hemical Name CAS# Wt. % Range CCAS# Vt. % Range CCAS# Vt. % Range CAS# Vt. % Range 1717-00-6 92.0-97.0 is information should be included on all MSDSs copied and distributed for this material. DXIC SUBSTANCES CONTROL ACT (TSCA). All ingredients of this product are listed on the TSCA Inventory.
S regulations require reporting spills of this material that Juld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas CORM-D NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D VA ORM-D NA NA ORM-D Pkg. 173.306 CITION 313 SUPPLIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372). hemical Name CAS# Wt. % Range ichlorofluoroethane 1717-00-6 92.0-97.0 its information should be included on all MSDSs copied and distributed for this material. DXIC SUBSTANCES CONTROL ACT (TSCA). All ingredients of this product are listed on the TSCA Inventory. HMIS: Class A; Class D2B
S regulations require reporting spills of this material that Juld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D Auth. ECTION 15: REGULATORY INFORMATION ECTION 15: REGULATORY INFORMATION CCTION 313 SUPPLIER NOTIFICATION is product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372). hemical Name CAS# Wt. % Range CCAS# Vt. % Range CCAS# Vt. % Range CAS# Vt. % Range 1717-00-6 92.0-97.0 is information should be included on all MSDSs copied and distributed for this material. DXIC SUBSTANCES CONTROL ACT (TSCA). All ingredients of this product are listed on the TSCA Inventory.
S regulations require reporting spills of this material that Juld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECTION 13: DISPOSAL CONSIDERATIONS ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECTION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Aerosols, nonflammable UN1950 2.2 NA NA Nonflammable 203 75kg;150k Gas round: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECTION 15: REGULATORY INFORMATION SCTION 313 SUPPLIER NOTIFICATION its product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Kn ct of 1986 (40 CFR 372). hemical Name CAS# Wt. % Range information should be included on all MSDSs copied and distributed for this material. DXIC SUBSTANCES CONTROL ACT (TSCA). All ingredients of this product are listed on the TSCA Inventory. HMIS: Class A; Class DB its product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. ECTION 16: OTHER INFORMATION
S regulations require reporting spills of this material that uld reach any surface waters. The toll free number for e US Coast Guard National Response Center is: 800-424-8802 ECITION 13: DISPOSAL CONSIDERATIONS Ispose of in accordance with all federal, state and local regulations. Water runoff can cause environmental damage. ECITION 14: TRANSPORTATION INFORMATION Proper Hazard Sub. Pkg. Hazard Pkg. Max. Shipping Name UN Number Class Risk Group Label Instr. Quantity ir: Acrosols, nonflammable UN1950 2.2 NA NA ORM-D Label Instr. Quantity ir: Consumer Commodity NA ORM-D NA NA ORM-D Pkg. 173.306 Auth. ECITION 13: SUPPLIER NOTIFICATION Store to 1986 (40 CFR 372). Hemical Name CAS# VM, & Range ichlorofluoroethane Information should be included on all MSDS scopied and distributed for this material. DXIC SUBSTANCES CONTROL ACT (TSCA). All ingredients of this product are listed on the TSCA Inventory. HMIS: Class A; Class D2B is product thas been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

To the best of our knowledge, the information contained herein is accurate. However, all materials may present unknown hazards and should be used with caution. In particular, improper use of our products and their inappropriate combination with other products and substances may produce harmful results which cannot be anticipated. Final determination of the suitability of any material is the sole responsibility of the user. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that may exist.