Nu-Calgon

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Nickel-Safe Ice Machine Cleaner (4287)

CAS # Mixture
Product use Descaler
Manufacturer Nu-Calgon
2008 Altom Court

St. Louis, MO 63146 US

Phone: 314-469-7000 / 800-554-5499

Emergency Phone: 1-800-424-9300 (CHEMTREC)

2. Hazards Identification

Emergency overview WARNING

CAUSES SKIN IRRITATION. CAUSES EYE IRRITATION. MAY CAUSE RESPIRATORY TRACT IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause severe irritation or chemical burns.

Skin This product is non-corrosive based on test data. May cause mild skin irritation.

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous

system effects (headache, dizziness).

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include discomfort or pain, excess blinking and tear production, with

marked redness and swelling of the conjunctiva.

OSHA Regulatory Status

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

environmental concerns.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Phosphoric acid	7664-38-2	15 - 40
Citric acid	77-92-9	1 - 5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Immediately flush with cool water for 15 minutes while removing contaminated clothing

and shoes. Discard or wash well before reuse. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

Notes to physician Symptoms may be delayed.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that

medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with

eyes and skin. Keep out of reach of children.

5. Fire	Fighting	Measures
---------	-----------------	----------

Flammable properties Not flammable by WHMIS/OSHA criteria.

Extinguishing media

Suitable extinguishing media Dry chemical. Foam. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of phosphorus. Oxides of carbon.

Sensitivity to mechanical impact Not available
Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not

touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements

or confined areas.

Methods for cleaning up Before attempting clean up, refer to hazard data given above. Small spills may be

absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency

services and supplier for advice. Never return spills to original containers for re-use.

7. Handling and Storage

Handling Use good industrial hygiene practices in handling this material.

When using do not eat or drink. Avoid contact with skin and clothing.

Avoid contact with eyes. Avoid breathing vapors or mists of this product.

Keep container tightly closed.

Use only with adequate ventilation. Wash thoroughly after handling.

Storage Keep out of reach of children. Store in a closed container away from incompatible

materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s) Exposure Limits

Citric acid ACGIH-TLV
TWA: 10 mg/m3

OSHA-PEL TWA: 10 mg/m3

Phosphoric acid ACGIH-TI V

ACGIH-TLV TWA: 1 mg/m3 STEL: 3 mg/m3

OSHA-PEL TWA: 1 mg/m3

Engineering controls General ventilation normally adequate.

Personal protective equipment

Eye / face protection Chemical splash goggles.

Hand protection Rubber gloves. Confirm with a reputable supplier first.

Skin and body protection As required by employer code.

Respiratory protection Avoid breathing mists or vapors. Where exposure guideline levels may be exceeded, use

an approved NIOSH respirator.

Handle in accordance with good industrial hygiene and safety practice. When using do **General hygiene considerations** not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Liquid. **Appearance** Color green Liquid Form

Mild chemical Odor Odor threshold Not available Physical state Liquid pН < 1

Not available **Melting point** -0.40 °F (-18 °C) Freezing point > 199.40 °F (> 93 °C) **Boiling point**

Not available Pour point Not available **Evaporation rate** Flash point None

Not available Auto-ignition temperature Flammability limits in air, lower, % Not available

by volume

Flammability limits in air, upper, %

by volume

Not available Vapor pressure Not available Vapor density

1.19 Specific gravity

Not available Octanol/water coefficient Complete Solubility (H2O) Not available VOC (Weight %) Viscosity Not available Percent volatile Not available

10. Stability and Reactivity

Reacts vigorously with alkaline material. This product may react with reducing agents. Reactivity

Possibility of hazardous reactions Hazardous polymerization does not occur.

Not available

Chemical stability Stable under recommended storage conditions. Conditions to avoid Do not mix with other chemicals.

Incompatible materials Bases. Reducing agents.

Hazardous decomposition products Oxides of phosphorus. May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50 Ingredient(s) **LC50** Citric acid Not available Phosphoric acid Not available Component analysis - Oral LD50 Ingredient(s) **LD50** Citric acid 5040 mg/kg mouse; 3000 mg/kg rat Phosphoric acid 1530 mg/kg rat

Effects of acute exposure

Eye May cause severe irritation or chemical burns.

This product is non-corrosive based on test data. May cause mild skin irritation. Skin

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous

system effects (headache, dizziness).

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

SensitizationNon-hazardous by WHMIS/OSHA criteria.Chronic effectsNon-hazardous by WHMIS/OSHA criteria.CarcinogenicityNon-hazardous by WHMIS/OSHA criteria.MutagenicityNon-hazardous by WHMIS/OSHA criteria.Reproductive effectsNon-hazardous by WHMIS/OSHA criteria.TeratogenicityNon-hazardous by WHMIS/OSHA criteria.

Name of Toxicologically Synergistic Not available

Products

12. Ecological Information

EcotoxicityComponents of this product have been identified as having potential environmental

concerns.

Ecotoxicity - Freshwater Fish - Acute Toxicity Data

Citric acid 77-92-9 96 Hr LC50 Lepomis macrochirus: 1516 mg/L [static]

Phosphoric acid 7664-38-2 96 Hr LC50 Gambusia affinis: 3 - 3.5 mg/L

Ecotoxicity - Water Flea - Acute Toxicity Data

Citric acid 77-92-9 72 Hr EC50 Daphnia magna: 120 mg/L Phosphoric acid 7664-38-2 12 Hr EC50 Daphnia magna: 4.6 mg/L

Not available Persistence / degradability Bioaccumulation / accumulation Not available Not available Mobility in environmental media Not available **Environmental effects** Not available Aquatic toxicity Not available Partition coefficient Chemical fate information Not available Other adverse effects Not available

13. Disposal Considerations

Disposal instructions Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Not available

Contaminated packaging Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the

Controlled Products Regulations.

Canada - WHMIS - Ingredient Disclosure List

 Citric acid
 77-92-9
 1 %

 Phosphoric acid
 7664-38-2
 1 %

WHMIS status Controlled

WHMIS classification Class D - Division 2B

WHMIS labeling



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Yes

Phosphoric acid 7664-38-2 5000 Lb final RQ; 2270 kg final RQ

U.S. - CWA (Clean Water Act) - Hazardous Substances
Phosphoric acid 7664-38-2 Present

CERCLA (Superfund) reportable quantity

Phosphoric acid: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely No.

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Phosphoric acid 7664-38-2 Present U.S. - Louisiana - Reportable Quantity List for Pollutants

Phosphoric acid 7664-38-2 5000 Lb final RQ; 2270 kg final RQ

U.S. - Massachusetts - Right To Know List

Phosphoric acid 7664-38-2 Present

U.S. - Minnesota - Hazardous Substance List

Phosphoric acid 7664-38-2 Present U.S. - New Jersey - Right to Know Hazardous Substance List Phosphoric acid 7664-38-2 sn 1516

U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances

Phosphoric acid 7664-38-2 5000 Lb RQ (air); 100 lb RQ (land/water)

U.S. - Pennsylvania - RTK (Right to Know) List

Phosphoric acid 7664-38-2 Environmental hazard

U.S. - Rhode Island - Hazardous Substance List

Phosphoric acid 7664-38-2 Toxic; Flammable

Inventory name


 Country(s) or region
 Inventory name
 On inventory (yes/no)*

 Canada
 Domestic Substances List (DSL)
 Yes


Canada Non-Domestic Substances List (NDSL) No
United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information







Disclaimer Information contained herein was obtained from sources considered technically accurate

and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

use of or reliance on any information contained in this document.

Issue date01-Jun-2011Effective date01-Aug-2011Expiry date01-Aug-2014

Prepared by Nu-Calgon Technical Service (314) 469-7000

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.