



SAFETY DATA SHEET

Issuing Date 28-Mar-2014

Revision Date 28-Sep-2015

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS product identifier

Product Name Heavy Duty Kitchen Degreaser

Other means of identification

Product Code(s) 6110

UN Number 3266

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Kitchen Degreaser

Uses advised against No information available

Supplier's details

Supplier Address

Sunburst Chemicals, Inc.
220 W. 86th St.
Bloomington, MN 55420
TEL: 952-884-3144

Emergency telephone number

Emergency Telephone Number 1-866-303-6943

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)

PRODUCT AS SOLD

Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 1 Subcategory 1A
Serious Eye Damage/Eye Irritation	Category 1

PRODUCT AT USE DILUTION

Acute Dermal Toxicity	Category 4
Skin Corrosion/Irritation	Category 1
Serious Eye Damage/Eye Irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

PRODUCT AS SOLD

Signal Word	Danger
Hazard Statements	<ul style="list-style-type: none">Harmful if in contact with skinCauses severe skin burns and eye damage



Appearance Amber

Physical State Liquid

Odor Solvent

Precautionary Statements

Prevention

- Wear protective gloves and clothing
- Do not breathe mist
- Wash face, hands, and any exposed skin thoroughly after handling

General Advice

- IF exposed or concerned: Get medical attention/advice

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor/physician.

Skin

- IF ON SKIN: Wash with plenty of soap and water
- Take off contaminated clothing and wash before reuse
- If skin irritation occurs: Get medical advice/attention
- Call a POISON CENTER or a doctor/physician if you feel unwell

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician immediately
- Rinse mouth, sip a glass of water if able to do so.
- Do NOT induce vomiting.

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant

GHS Label elements, including precautionary statements

PRODUCT AT USE DILUTION	
<p>Signal Word</p> <p style="text-align: center; font-weight: bold;">Danger</p> <p>Hazard Statements</p> <ul style="list-style-type: none"> • Harmful if swallowed • Causes severe skin burns and eye damage 	<p style="text-align: center;">Emergency Overview</p>
<p>Appearance Colorless to Amber</p>	<p>Physical State Liquid</p> <p style="text-align: right;">Odor Solvent</p>

Precautionary Statements**Prevention**

- Wear protective gloves / protective clothing / eye protection / face protection
- Wash face, hands and exposed skin thoroughly after handling.

General Advice

- IF exposed or concerned: Get medical attention/advice

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: get medical advice / attention.

Skin

- IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water.
- Wash contaminated clothing before reuse
- If skin irritation occurs: Get medical advice / attention

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- Call a POISON CENTER or doctor / physician if you feel unwell.

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- Rinse mouth, sip a glass of water if able to do so.
- Do NOT induce vomiting

Storage

- Store locked up
- Store in a well-ventilated place. Keep container tightly closed

Disposal

- Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS**PRODUCT AS SOLD**

Chemical Name	CAS-No	Weight %	Trade secret
Potassium Hydroxide	1310-58-3	2-10	*
2-Butoxyethanol	111-76-2	2-10	*
Sodium Dodecylbenzenesulfaonate	68081-81-2	2-10	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

PRODUCT AT USE DILUTION

Contains ingredients listed above.

4. FIRST AID MEASURES**PRODUCT AS SOLD****Description of necessary first-aid measures**

General Advice – Immediate medical attention is required

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention/advice.

Skin Contact

Wash off with warm water and soap. Remove and wash contaminated clothing before re-use. Call a physician or a poison center immediately.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects Slippery feeling, burning sensation on skin or eyes

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

PRODUCT AT USE DILUTION	
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek immediate medical attention / advice.
Skin Contact	Wash off with warm water and soap. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention / advice.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Water. Carbon dioxide (CO₂). Dry chemical.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None

Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

PRODUCT AS SOLD

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Use personal protective equipment. If spilled, take caution, as material can cause surfaces to become slippery.

Environmental Precautions

Environmental Precautions Avoid release to the environment. Collect spillage. See Section 12 for additional Ecological Information. Dispose of contents/container to an approved waste disposal plant.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Collect and reuse if possible. Following product recovery, flush area with water.

PRODUCT AT USE DILUTION	
Personal Precautions	Avoid contact with skin, eyes and clothing. Do not breathe spray mist. Use personal protective equipment. Solution can cause surfaces to become slippery.
Environmental Precautions	Avoid release to the environment. Rinse or mop up use solutions. Small volumes may be flushed down sanitary sewer drains.
Methods and materials for containment and cleaning up	
Methods for Containment	Prevent solutions from further spillage, if safe to do so.
Methods for Cleaning Up	Flush area with water.

7. HANDLING AND STORAGE

PRODUCT AS SOLD
Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes and clothing. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product, or its use solutions.

Conditions for safe storage, including any incompatibilities

Storage Keep container closed when not in use. Keep out of the reach of children.
Incompatible Products None known based on information supplied.

PRODUCT AT USE DILUTION	
Advice on safe handling	Do not ingest. Do not get in eyes, on skin or on clothing. Do not breathe mist. Wash hands thoroughly after handling.
Conditions for safe storage	Keep out of reach of children. Store in suitable labeled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide 1310-58-3	Ceiling: 2 mg/m3	TWA: 2 mg/m3 (vacated) Ceiling: 2 mg/m3	Ceiling: 2 mg/m3
2-Butoxyethanol 111-76-2	Ceiling: 20 ppm	TWA: 50 ppm	IDLC 700 ppm TWA: 5 ppm/24mg/m3

Appropriate engineering controls

Engineering Measures Eyewash stations

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.
Skin and Body Protection Rubber or vinyl gloves when handling solid chemicals or their use solutions, as well as a rubber apron.
Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.
Hygiene Measures Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

PRODUCT AS SOLD

Information on basic physical and chemical properties

Physical State Odor	Liquid Solvent	Appearance Odor Threshold	Amber No information available
--------------------------------------	-------------------	--	-----------------------------------

Property	Values for Product as Sold	Values for Product at Use Dilution
pH	13.2 – 13.6	12.0 – 13.0
Melting Point/Range	None	
Boiling Point/Boiling Range	212 °F	212 °F
Flash Point	None.	
Evaporation rate	No data available	Physical State – Liquid
Flammability (solid, gas)	No data available	Odor – Solvent
Flammability Limits in Air		Appearance – Colorless to amber
upper flammability limit	No data available	
lower flammability limit	No data available	
Vapor Pressure	No data available	
Vapor Density	No data available	
Relative Density	No data available	
Specific Gravity	No data available.	
Water Solubility	Complete	
Solubility in other solvents	No data available	
Partition coefficient: n-octanol/water	No data available	
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
Viscosity	No data available	
Flammable Properties	Not flammable	
Explosive Properties	Not explosive	
Oxidizing Properties	Not an oxidizer	
<u>Other information</u>		
VOC Content (%)	2-10%	

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

PRODUCT AS SOLD

Information on likely routes of exposure

Product Information:

Eye Contact	Causes serious eye damage.
Skin Contact	Causes severe skin burns.
Ingestion	Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Inhalation	May cause irritation of the respiratory tract.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	= 270 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.2 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Potassium Hydroxide	= 214 mg/kg (Rat)	-	-
Benzensulfonic acid, C10-16-alkylderivatives	= 530 mg/kg (Rat)	= 530 mg/kg (Rat)	-

PRODUCT AT USE DILUTION

Eye Contact	Causes serious eye damage
Skin Contact	Causes severe skin burns
Inhalation	May cause irritation of the respiratory tract.
Ingestions	Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness, burning sensation

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization No information available.
Mutagenic Effects No information available.
Carcinogenicity See table below.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3	-	-

ACHIH: (American Conference of Governmental Industrial Hygienists.

A3 – Animal Carcinogen

IARC: (Internal Agency for Research on Cancer)

Group 3: Not Classified as to its Carcinogenicity to Humans

Reproductive Toxicity No information available.
STOT - single exposure No information available.
STOT - repeated exposure No information available.
Aspiration Hazard No information available.

Numerical measures of toxicity • - Product

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral No information available.
LD50 Dermal No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Potassium Hydroxide	-	LC50 96 h: 80 mg/L static (Gambusia Affinis)	-	-
2-Butoxyethanol	-	LC50 96h: 2950 mg/L (Lepomis macrochirus)	-	-

Persistence and Degradability
Bioaccumulation

No information available.
No information available.

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

PRODUCT AS SOLD

Waste Disposal Methods

Dispose of in accordance with federal, state, and local regulations

Contaminated Packaging

Dispose of in accordance with federal, state, and local regulations.

PRODUCT AT USE DILUTION

Dispose of in accordance of the federal, state, local regulations.

14. TRANSPORT INFORMATION

DOT

UN NUMBER

UN3266

Proper Shipping Name

Corrosive Liquid, basic, inorganic, n.o.s.

Hazard Class

8

Packing Group

II

Reportable Quantity Potassium Hydroxide, RQ kg = 1055.81

Description

UN3266, Corrosive Liquid, basic, inorganic, n.o.s, (Potassium Hydroxide), 8,II, RQ

Emergency Response Guide Number

154

15. REGULATORY INFORMATION

International Inventories

TSCA

Complies

DSL/NDSL

Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does contain chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS-No.	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	7.1	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA	CWA Hazardous
Potassium Hydroxide	1000 lb.	*

CERCLA

This material, as supplied, contains substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substance RQs	RQ
Potassium Hydroxide	1000 lb.	RQ 1000 lb. final RQ

U.S. State Regulations**California Proposition 65**

This product contains no Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Potassium hydroxide	*	*	*	*	*
2-Butoxyethanol	*	*	*	*	*

U.S. EPA Label Information

EPA Pesticide Registration Number

Not applicable

16. OTHER INFORMATION

NFPA	Health Hazard 3	Flammability 1	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 3	Flammability 1	Physical Hazard 0	Personal Protection B

Prepared By Sunburst Chemicals
 Sunburst Chemicals 220 W. 86th Street
 Bloomington, MN 55420
 952-884-3144

Issuing Date 28-Mar-2014
Revision Date 28-Sep-2015
Revision Note New Issue

General Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet