Page E1 of E2

Section 1 **Chemical Product and Company Identification**



Boreal Science 399 Vansickle Road St. Catherines, Ontario L2S 3T4 Canada Tel: (800) 387-9393

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory use only Not for drug, food or household use.

COBALT(II) CHLORIDE, HEXAHYDRATE **Product**

Synonyms Cobaltous Chloride, Hexahydrate / Cobalt Dichloride, Hexahydrate

Section 2 Hazards Identification

Signal word: DANGER

Pictograms: GHS05 / GHS07 / GHS08 / GHS09

Target organs: Eyes, Skin, Respiratory system, Gastrointestinal tract, Liver,

Kidneys, Blood, Heart, Reproductive system









GHS Classification:

Acute toxicity, oral (Category 4) Skin corrosion (Category 1A) Serious eye damage (Category 1) Skin sensitisation (Category 1) Respiratory sensitization (Category 1)

Mutagenicity (Category 2) Carcinogenicity (Category 1B) Reproductive toxicity (Category 1B) Aquatic acute (Category 1)

Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H360: May damage fertility or the unborn child.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P272: Contaminated work clothing should not be allowed out of the workplace.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P284: Wear respiratory protection.

P301+P330+ P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical attention.

P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P405: Store locked up

P501: Dispose of contents/container to a licensed chemical disposal agency in

accordance with local/regional/national regulations.

Section 3 Composition / Inform	ation on Ingredients			
Chemical Name	CAS#	%	EINECS	
Cobalt chloride, hexahydrate	7791-13-1	100%	231-589-4	

Section 4 First Aid Measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 **Fire Fighting Measures**

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 **Accidental Release Measures**

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 **Handling & Storage** Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Prof	ection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Cobalt and inorganic compounds, as Co	TWA: 0.02 mg/m ³ (A3)	TWA: 0.1 mg/m ³ for metal dust & fume	TWA: 0.05 mg/m ³ for metal dust & fume

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 **Physical & Chemical Properties**

Appearance: Solid. Damp, red crystals. Odor: Hydrochloric acid odor. Odor threshold: Data not available. pH: Data not available

Melting / Freezing point: Data not available

Boiling point: Data not available Flash point: Data not available

Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 1.92 Solubility(ies): Soluble in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: 400°C

Viscosity: Data not available. Molecular formula: CoCl₂•6H₂O Molecular weight: 237.93

Section 10 Stability & Reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, moisture. Material is hygroscopic. Incompatible materials: Strong oxidizers. Corrosive to aluminum when wet.

Hazardous decomposition products: Sublimes at 500°C into HCl gas. Thermal decomposition may produce chlorine.

Section 11 **Toxicological Information**

Acute toxicity: Oral-rat LD50: 766 mg/kg; Dermal-rat LD50: >2,000 mg/kg

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 2B: Possibly carcinogenic to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Prolonged or repeated inhalation may cause respiratory sensitization. May cause lung damage.

Ingestion: May cause vomiting, diarrhea and a sensation of hotness.

Skin: Prolonged or repeated exposure causes irritation and may result in an allergic skin reaction.

Eves: Causes irritation and/or burns.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: GG0200000

Ecological Information Section 12

Toxicity to fish: LC50 - Cyprinus carpio (Carp) - 0.33 mg/l - 96.0 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 1.1 - 1.6 mg/l - 48 h

Toxicity to algae: EC50 - Chlorella vulgaris (Fresh water algae) - 0.5 mg/l - 96 h

Persistence and degradability: No data available Bioaccumulative potential: No data available PBT and vPvB assessment: No data available Mobility in soil: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Transport Information (US DOT / CANADA TDG) Section 14

UN/NA number: UN3260 **Shipping name:** Corrosive solid, acidic, inorganic, n.o.s., (Cobalt chloride)

Hazard class: 8 Packing group: || Reportable Quantity: No Marine pollutant: No

2012 ERG Guide # 154 **Exceptions:** Limited quantity equal to or less than 1 Kg

Section 15 **Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Cobalt chloride	Listed	Not listed	Not listed	Listed	Not listed

Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.