MATERIAL SAFETY DATA SHEET

MATERIAL IDENTITY: 100% HEAT TRANSFER FLUID

SECTION 1 - MANUFACTURER'S INFORMATION

Manufacturer: SuperClean Brands, Inc. Telephone: (651) 489-8211

51 East Maryland Avenue

St. Paul, MN 55117-4615 Facsimile: (651)

489-8247

Trade Name: Propylene Glycol - Inhibited Chemical Family: Polyalcohol

Formula: CH₃CHOHCH₂OH CAS NO: 57-55-6

Transportation Emergency (for immediate information about a chemical or to seek assistance from a

manufacturer): 1-800-535-5053

SECTION 2 - NORMAL HANDLING PROCEDURES

Precautions To Be Taken In Handling And Storage: Avoid contact with eyes, skin, or clothing. Do not take internally. Upon contact with skin or eyes, wash off with water. Avoid breathing mist or vapor. Store in a cool, dry well-ventilated place.

<u>Protective Equipment:</u> <u>Ventilation Requirements:</u>

Eyes: Goggles None beyond good room ventilation normally

Gloves: Impervious required.

Other: Not required

SECTION 3 - HAZARDOUS INGREDIENTS

Basic Material	%		LD50	LC50	Significant Effects
Propylene Glycol	100	NONE ESTABLISH ED	>10 g/kg	No Data	Practically non-toxic mild skin and eye irritant.
Dipotassium	.2	None	THIS PRODUCT IS NOT SUBJECT TO		
Phosphate		Established	SECTION 313 OF TITLE III OF S. A. R. A.		

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point Method: 225°F COC OSHA Classification: Not Regulated

(Ignitable)

Flammable Explosive Limit: Lower: 2.6 Upper: 12.5

Extinguishing Media: Water spray, dry chemical, alcohol, foam or carbon dioxide.

Special Fire Hazard & Fire Fighting Procedures: Water spray should be used to cool fire exposed containers and/or to disperse unignited vapors. Use NIOSH/MSHA approved positive pressure self-contained breathing apparatus when any material is involved in a fire.

MATERIAL SAFETY DATA SHEET

MATERIAL IDENTITY: 100% HEAT TRANSFER FLUID

SECTION 5 - HEALTH HAZARD DATA

Threshold Limit Value: None established.

Symptoms of Over Exposure: Practically non-toxic. Mild skin and eye irritant. May cause diarrhea by oral

ingestion.

Emergency First Aid Procedures:

Skin: Flush with water. If an irritation develops, call a physician.

Eyes: Flush with water for 15 minutes, call a physician.

Ingestion: Drink water to dilute.

Inhalation: Remove victim to fresh air.

SECTION 6 - TOXICOLOGY (PRODUCT)

Acute Oral LD 50 Carcinogenicity: Not known to be a carcinogenic. >10 g/kg Mutagenicity: Not known to be a mutagenic.

Acute Dermal LD 50 Eye Irritation: Slight irritant.

>2 g/kg **Primary Skin Irritation:** Slight irritant.

Acute Inhalation LC 50

No Data

Principal Routes of Absorption: Inhalation.

Effects of Acute Exposure: May cause diarrhea by oral ingestion. May be a slight irritant.

Effects of Chronic Exposure: May be a skin sensitizer in some individuals.

SECTION 7 - SPILL AND LEAKAGE PROCEDURES (CONTROL PROCEDURES)

Action for Material Release or Spill: Wear goggles, coveralls, impervious gloves and boots. Add dry absorbent, shovel or sweep up. Place in an appropriate container and seal. Wash all contaminated clothing before reuse. In the event of a large spill, call the emergency telephone number shown on the front of this sheet.

Waste Disposal Method: Dispose of contaminated product, empty containers and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper disposal procedures.

SECTION 8 - SHIPPING DATA

D. O. T. - Not regulated.

MATERIAL SAFETY DATA SHEET

MATERIAL IDENTITY: 100% HEAT TRANSFER FLUID

SECTION 9 - REACTIVITY DATA

Stable: Yes Unstable at: ____C ___F Hazardous May occur -

Polymerization: Will not occur - XXX

Conditions to Avoid: Extreme heat

Incompatibility (Material to Avoid): Strong oxidizers

Hazardous Decomposition Products: Carbon Monoxide. Carbon Dioxide.

SECTION 10 - PHYSICAL DATA

Melting Point: No data Vapor Pressure: 0.5mmHg/20°C Volatiles: No data

Boiling Point: 370°F **Solubility in Water:** Soluble **Evaporation Rate:** No

data

Specific Gravity: 1.038 Ph: No data Vapor Density: No data

(H20=1) (AIR=1)

Date Updated: December 12, 2007