

MATERIAL SAFETY DATA SHEET



DEEP GLOSS

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Fire Hazard	4	4	
Reactivity	0	0	

Version Number: 1

Preparation date: 2006-06-08

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: DEEP GLOSS
MSDS #: MS0200017
Product code: 04451
Recommended use: Cleaning product.

Manufacturer, importer, supplier:

US Headquarters JohnsonDiversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-0902 Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com	Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131
---	--

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING. CONTENTS UNDER PRESSURE. FLAMMABLE LIQUID AND VAPOR. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principle routes of exposure: Eye contact. Skin contact. Inhalation. Ingestion.
Eye contact: May be mildly irritating to eyes.
Skin contact: May be mildly irritating to skin.
Inhalation: None known.
Ingestion: None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Propane	74-98-6	1 - 5%	Not available	Not available	Not available
Isobutane	75-28-5	5 - 10%	Not available	Not available	= 658 mg/L (4h)

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.
Skin contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.
Inhalation: No specific first aid measures are required.
Ingestion: No specific first aid measures are required.
Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Specific hazards: Aerosol product - Containers may rocket or explode in heat of fire.
Unusual hazards: None known
Specific methods: Aerosol Product - Containers may rocket or expode in heat of fire. Use water spray to keep fire-exposed containers cool.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: None.

5. FIRE-FIGHTING MEASURES

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Remove all sources of ignition. Ensure adequate ventilation.
Environmental precautions and clean-up methods: Soak up with inert absorbent material.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin and eyes. Avoid breathing vapors or mists. CONTENTS UNDER PRESSURE. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:

Store in a cool, dry, well ventilated area away from heat or open flame. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 degrees C or 120 degrees F. Do not pierce or burn, even after use. Protect from freezing. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

General room ventilation is adequate. No special ventilation requirements.

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol	Bulk density:	No information available
pH:	No information available	Dilution pH:	No information available.
Appearance:	Aerosol	Vapor density:	No information available
Color:	White	Evaporation Rate	No information available
Odor:	Bland	Boiling point/range:	Not determined
Specific gravity:	0.84	Melting point/range:	Not determined
Density:	6.99	Decomposition temperature:	Not determined
VOC:	25.0	Autoignition temperature:	No information available
Flash point:	<20 (°F) <-7 (°C)	Partition coefficient (n-octanol/water):	No information available
Solubility:	Insoluble	Solubility in other solvents:	No information available
Viscosity:	No information available	Elemental Phosphorus:	0 %P

Flame Extension (inches): 15.0

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur
Hazardous decomposition products: None reasonably foreseeable.
Conditions to avoid: Do not freeze. Keep away from open flames, hot surfaces and sources of ignition.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral LD50 estimated to be greater than 5000 mg/kg Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3
Chronic toxicity: None known
Specific effects
Carcinogenic effects: None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment .

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Use up contents if possible before disposal . If possible, recycle empty aerosol cans to the nearest steel recycling center .

RCRA Hazard Class: D001

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (ECL), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Petroleum hydrocarbon	64741-44-2	-	X	-	-
Isoparaffinic hydrocarbon solvent	64742-48-9	-	-	-	-
Propane	74-98-6	X	X	X	X
Isobutane	75-28-5	X	X	X	-

CERCLA/ SARA

CAA HAP/CAA ODS/CWA Priority Pollutants: None

Canada

WHMIS hazard class: A Compressed gases, B5 Flammable aerosol.



Ingredient(s)	CAS #	NPRI
Propane	74-98-6	X

16. OTHER INFORMATION

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: NFPA 30B Level 1 Aerosol.

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.